

Vertical Axis Wind Turbine Kliux Zebra

Product Specifications Sheet

Reviewed: 22/10/2013



UNIQUE DESIGN


- Designed to maximize energy output in urban, inhabited areas.
- First vertical-axis wind turbine with a 9 alfa (α) blade in a Savonius type rotor (drag) made of expanded polyurethane supplied by Bayer MaterialScience.
- Designed and made in Spain.

PRODUCT ADVANTAGES

- No startup system needed.
- Minimal maintenance.
- Noiseless.
- Aesthetic visual Integration in urban and rural locations.
- Bird friendly.

APPLICATIONS

- Power generation system best suited for private residences, public areas, rural tourism, sports venues, schools, universities, public parks, industrial areas, farms, water pumping stations and roads.
- Blades provide an excellent platform for branding and advertising.



WIND TURBINE ASSEMBLY COMPONENTS

Vertical axis wind turbine (VAWT) Kliux Zebra.
 Gear box. Three-phase Permanent Magnet Generator.
 Steel mast with anti-corrosion painting protection.
 Wind inverter Etesian Mini 2600, 2kW, 230 Vac, 50 Hz (Santerno). Grid Connection.
 GSM/Ethernet Communications module (optional).
 Weather station (optional).
 Voltage dischargers.

WIND TURBINE DIMENSIONS AND WEIGHTS

Rotor + Generator and transmission's weight: 375,00 kg.
 Mast Weight: starting at 351 kg.
 Rotor's diameter: 2,36 m.
 Rotor's / Transmission's height: 3,1 m / 0,83 m.
 Mast height: starting at 6 m.


WIND TURBINE YIELDS

Nominal power: 1.800 W.
 Start up speed: 3 m/s.
 Maximum rotation speed: 70 RPM.
 RPM limited by inverter power curve and generator resistance.
 Noise at 10 m distance: 32'6 dBA.
 Durability: 25 años.

ADDITIONAL INFORMATION

Blades' material: Expanded polyurethane from Bayer MaterialScience.
 Rated output voltage: 230 Vac. (\pm 15%).
 Certifications: ISO: 9001, 14001 y CE.
 Certifications in progress: IEC 61400 -2/ -11/ -12, AWEA 9.1, BWEA 2009 Standard.

WIND AVERAGE (m/s)	ANNUAL ENERGY GENERATED (kWh)
4	736
5	1.789
6	2.616
7	3.717
8	4.793
9	5.693
10	6.296
11	6.892



Kliux Energies · C/ Los Almendros 14. Polígono Industrial Cantabria II, 26009 Logroño, La Rioja, España | Telf.: +34 941 102 410 | Email: info@kliux.com

Web: www.kliux.com

www.facebook.com/KliuxEnergies

[@KliuxEnergies](https://twitter.com/KliuxEnergies)

www.youtube.com/KliuxGeolica